



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:  
Xiaoyue et al.

Serial No.: 10/604,671

Filed: August 08, 2003

For: Integrated High Efficiency Blower  
Apparatus for HVAC Systems

§  
§ Group Art Unit: 3745  
§  
§ Examiner: Verdier, Christopher M.  
§  
§  
§  
§ Atty. Docket: 130534-1  
§ (GERD:0387/SWA)

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF TRANSMISSION OR MAILING  
37 C.F.R. 1.8

I hereby certify that this correspondence is being transmitted by facsimile to the United States Patent and Trademark Office in accordance with 37 C.F.R. 1.6(d) or is being deposited with the U.S. Postal Service as First Class Mail with sufficient postage in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date below:

November 9, 2006  
Date

  
Seanelle Dice

Sir:

**AMENDMENT AND RESPONSE TO OFFICE ACTION  
(NOTICE OF NON-RESPONSIVE AMENDMENT)  
MAILED ON OCTOBER 10, 2006**

In response to the Office Action mailed on October 10, 2006, Applicants amend and remark as follows. In the Office Action, the Examiner stated that the Applicants' previous response was non-responsive for allegedly failing to point out the specific distinctions believed to render the newly presented claims 18-19 patentable over the cited references. On a preliminary note, the Applicants submit that the Applicants' previous response did in fact address the newly presented claims 18-19 on page 16. However, the Applicants hereby present additional reasons to supplement those previously presented in the response filed on June 30, 2006. The discussion of these new claims begins on page 16 of the present response. The Applicants submit that the present response is responsive in accordance with M.P.E.P. § 714.02(b).